TECHNICAL DATA SHEET · CLAY BRICK

Rustic · 390 × 105 × 45

Document TDS-CLAY-RUSTIC-390X105X45
Issued 27 October 2026
Products 10


Covers C01, C02, C03, C05, C06, C07, C08, C09, C10, C16.



C01



C02



C03

PRODUCT			
Finish	Rustic	Rustic	Rustic
Colour	White & Cream	White & Cream	Beige & Greige
SIZE AND UNITS			
Work size, L × W × H, mm	390 × 105 × 45	390 × 105 × 45	390 × 105 × 45
Units per m², 10 mm joint	45.5	45.5	45.5
Weight per unit, kg	–	–	–
Units per pallet	–	–	–
Area per pallet, m²	–	–	–
Weight per pallet, kg	–	–	–
PERFORMANCE Testing in progress. No result is stated until a laboratory report is issued.			
Durability class	–	–	–
Compressive strength f'uc, MPa	–	–	–
Initial rate of absorption, kg/m²/min	–	–	–
Cold water absorption, %	–	–	–
Efflorescence	–	–	–
Fire resistance level	–	–	–
TEST EVIDENCE			
Laboratory	–	–	–
Report	–	–	–
Date	–	–	–



C05



C06



C07

PRODUCT			
Finish	Rustic	Rustic	Rustic
Colour	Red & Terracotta	Sand & Gold	Charcoal & Black / Brown
SIZE AND UNITS			
Work size, L × W × H, mm	390 × 105 × 45	390 × 105 × 45	390 × 105 × 45
Units per m², 10 mm joint	45.5	45.5	45.5
Weight per unit, kg	–	–	–
Units per pallet	–	–	–
Area per pallet, m²	–	–	–
Weight per pallet, kg	–	–	–
PERFORMANCE Testing in progress. No result is stated until a laboratory report is issued.			
Durability class	–	–	–
Compressive strength f'uc, MPa	–	–	–
Initial rate of absorption, kg/m²/min	–	–	–
Cold water absorption, %	–	–	–
Efflorescence	–	–	–
Fire resistance level	–	–	–
TEST EVIDENCE			
Laboratory	–	–	–
Report	–	–	–
Date	–	–	–



C08



C09



C10

PRODUCT			
Finish	Rustic	Rustic	Rustic
Colour	Brown	White & Cream / Beige & Greige	Beige & Greige / Blush
SIZE AND UNITS			
Work size, L × W × H, mm	390 × 105 × 45	390 × 105 × 45	390 × 105 × 45

	 C08	 C09	 C10
Units per m², 10 mm joint	45.5	45.5	45.5
Weight per unit, kg	–	–	–
Units per pallet	–	–	–
Area per pallet, m²	–	–	–
Weight per pallet, kg	–	–	–

PERFORMANCE Testing in progress. No result is stated until a laboratory report is issued.

Durability class	–	–	–
Compressive strength f'uc, MPa	–	–	–
Initial rate of absorption, kg/m²/min	–	–	–
Cold water absorption, %	–	–	–
Efflorescence	–	–	–
Fire resistance level	–	–	–

TEST EVIDENCE

Laboratory	–	–	–
Report	–	–	–
Date	–	–	–

	 C16

PRODUCT

Finish	Rustic
Colour	Sand & Gold / Blush

SIZE AND UNITS

Work size, L × W × H, mm	390 × 105 × 45
Units per m², 10 mm joint	45.5
Weight per unit, kg	–
Units per pallet	–
Area per pallet, m²	–
Weight per pallet, kg	–

PERFORMANCE Testing in progress. No result is stated until a laboratory report is issued.



C16

Durability class	–
Compressive strength f'uc, MPa	–
Initial rate of absorption, kg/m²/min	–
Cold water absorption, %	–
Efflorescence	–
Fire resistance level	–

TEST EVIDENCE

Laboratory	–
Report	–
Date	–

Sizes are nominal averages. Clay and natural stone vary in colour, texture and size between units and between batches; allow for it in setting out.

Images are indicative. Blend from at least three to four packs as you lay. View a physical sample or visit the showroom at 73–81 North Street, Richmond VIC 3121 before ordering.

Values marked — are not yet available. This sheet is reissued, with a new issue date, when they are.